

奉化市新科精密铸造有限公司

Fenghua Xinke Precision Casting Co., Ltd.



奉化市新科精密铸造有限公司

Fenghua Xinke Precision Casting Co., Ltd.

地址: 中国浙江省宁波市奉化裘村镇西洋畈工业区
ADD: Qiucun Town, Fenghua District, Ningbo City,
Zhejiang P.R., China
邮编: 315507
电话 Tel: 0086-0574-88775505
传真 Fax: 0086-0574-88776620
邮箱 E-mail: kennyshe@xinke-casting.com



www.xinke-casting.com

CONTENTS 目录

01 //

不仅仅是一家精密铸造公司

NOT ONLY A PRECISION CASTING COMPANY

02 //

新科文化

XINKE CULTURE

03 //

品质与产品

THE QUALITY AND PRODUCTS

ABOUT US 公司简介

01

Development path 发展历程

05

XINKE Culture 新科文化

07

Honour 荣誉资质

10

Equipments 设备

11

Inverstment Castling Process 水玻璃失蜡精密铸造

14

Investment Casting Products 水玻璃铸造产品

15

Silica Sol Casting Process 硅溶胶铸造工艺

27

Silica Sol Casting Products 硅溶胶铸造产品

28

01 // ABOUT US 公司简介

02 // Development path 发展历程
XINKE Culture 新科文化

03 // Honour 荣誉资质
Equipments 设备
Inverstment Casting Process 水玻璃失蜡精密铸造
Investment Casting Products 水玻璃铸造产品
Silica Sol Casting Process 硅溶胶铸造工艺
Silica Sol Casting Products 硅溶胶铸造产品

精密铸造行业专家
CASTING INDUSTRY EXPERTS
让质量成为产品的灵魂
PRODUCT QUALITY IS THE SOUL

01

02

01 //

ABOUT US 公司简介

做事如做人，品牌如人品



奉化市新科铸业是一家私营企业，致力于生产不锈钢、碳钢以及低合金钢材料的精密铸钢件，采用先进的硅溶胶铸造工艺，水玻璃失蜡铸造工艺以及覆膜砂铸造工艺，是国内一家多元化铸造的大型的规模化专业生产基地，集精密铸造厂和机械加工厂于一体，年可生产精密铸件及各类铸件 20000 多吨，主要出口欧美日本等许多国家。

奉化市新科铸业位于中国著名的工业城市宁波市，坐落于风景秀丽的奉化裘村镇，东靠中国第二大港北仑港 35 公里，西临宁波栎社国际机场 25 公里，交通条件十分优越。企业创建于 2004 年，总共占地总面积 60000 平方米，现有员工共 650 多名，其中专业技术人员 50 多名，工程师 10 多名。企业拥有新建的 45000 多平方米的现代化生产厂房；12 条新式节能环保的熔模铸造生产线，19 台热处理炉，6 台天然气焙烧炉，机加工厂拥有完善先进的 CNC 机加工设备，包括 20 台立式和卧式加工中心和 30 多台数控机床，机加工厂独立于铸造厂有一套完整的管理团队和管理模式，除了加工铸锻件外还承接型材的机加工件；同时公司还拥有行业内最先进完备的顶尖检测设备：光谱分析仪、金相显微镜、万能拉力试验机、低温冲击试验机、X 射线探伤机、磁粉探伤机、超声波探伤仪、三坐标测量仪、影像测量仪等。上述装备完全能确保提供给客户高精度的最终铸件成品件，同时能确保满足客户对材料的理化性能、无损测试、高精度几何尺寸检测等全方位的检测要求。

本公司产品的应用十分广泛，几乎涵盖了整个装备制造业和机械制造加工业的可应用领域，主要有火车铁道、汽车卡车、工程机械、矿山机械、叉车、农机、船舶、石油机械、建筑、电力配件、机电、五金工具等行业。我们可以根据客户提供图纸或者样品开发和生产产品，致力于各种牌号的不锈钢、普碳钢以及低合金钢系列材料规格达 150 多种，各类产品品种达 3000 多种。能熟练执行国标 GB；美标 ASTM、AISI、德标 DIN、法标 NF、日标 JIS、英标 BS、澳标 AS、美国铁道标准 AAR 等各国和许多行业标准。

企业摆脱铸造厂仅提供铸造件的传统概念，完成了向深加工和铸件拓展品的转型升级，开创了以提供解决方案、终端产品、客户服务为新的新产品理念，以尽可能提高附加值为公司产品的核心竞争力，立足高品位及高端市场，产品主要出口至美国、德国、日本、西班牙、意大利、英国、韩国、澳大利亚、加拿大等几十个国家，合作的客户中有许多火车、汽车、叉车和工程机械的主机厂客户，包括世界五百强企业 10 多家，已成为它们在中国的精密铸件的重要供应商。

企业推行现代化企业管理模式，积极推进管理的规范化、程序化、精细化、制度化，全面实施 ISO9001 和 TS16949 质量管理体系并注入了 6S、绩效管理、精益生产等先进管理模式，同时导入建立了 ISO14001 和 ISO18001 环境管理体系，以求企业绩效与社会效益的双赢。

新科人始终本着“高标准、精细化、零缺陷”的企业宗旨，视质量为生命，领先行业发展，铸造一个具核心竞争能力和核心价值的铸造产业，本着“真诚务实，执着不懈，团队协作，博弈超越”的工作作风，竭诚欢迎全球的客商莅临惠顾，同谋发展，共铸辉煌。

01 //

ABOUT US 公司简介

做事如做人，品牌如人品



FENGHUA XINKE is a private enterprise, specializing in the manufacturing of Silica Sol Castings, Lost Wax Investment Castings, Coated Sand Castings and finished products with stainless steel, carbon steel and low alloy steel. Our company is a world class manufacturer and supplier of investment castings with silica sol or water glass process in China. We both have our own steel casting foundry and CNC machining factory, which enable us to supply both precision castings and finished products with an annual production capacity of over 20,000 tons. And the products are mainly exported to Europe, America, Japan and other destinations around the world.

Our company is located in the beautiful town called Qicun Town, which is in the famous industrial city Ningbo in China. It is very convenient to be reached with an advantageous geographic position; it is located about 35 kilometers away from the Bei-lun Port which is the second biggest port in China, and about 25 kilometers away from the Lishui International Airport. Our company was established in 2004, it covers a total area of 60,000 square meters and now has more than 650 employees, including 10 engineers and 50 technicians. The company owns a brand-new foundry, which covers an area of more than 45,000 square meters, and is equipped with 12 modern types of energy-saving & environmentally-friendly production lines including a fully automated wax and shell making process flow line, as well as 4 heat treatment production lines. The machining factory is located and near by Xinke and is fully equipped with complete and advanced CNC machining equipment including 20 vertical and horizontal machining centers and more than 30 NC machines, the machining facility is fully independent from the casting foundry and has an independent management team and tailored business model to suit. In addition to the casting, forging and machining, it also has the facility to machine various profiles. Our company also has the most advanced and complete inspection equipment in the casting industry, including Spectrometer, Metallographic Microscope, Tension Tester, Low Temperature Tester, X-ray Tester, MPT, UT, CMM, Video Measurement Machine and so on. With these advanced facilities & instruments, we are able to supply the most precise finished products to our customers, and make products meeting their overall inspection requirements on chemical composition, mechanical properties, non-destructive testing and high precise dimensional inspections.

Our products cover a wide range of industries including train & railway, automobile & truck, construction machinery, mining machinery, forklift, agricultural machinery, shipbuilding, petroleum machinery, construction, valve and pumps, electric machine, hardware, power equipment and so on. We are capable to produce products according to customers' drawings or samples, we focus on stainless steel, carbon steel and low alloy steel. Up to today, more than 150 raw materials and 3,000 kinds of different products have been developed and produced by us. We are familiar with the various industrial standards, such as Chinese GB, American ASTM, AISI, German DIN, French NF, Japanese JIS, British BS, Australian AS and Association of American Railroads (AAR) and other industrial standards.


Our company is not like the traditional foundries only provide castings, we have completed a transformation and upgraded to a deep-processing manufacturer with expanded production capabilities. Our core values are providing our customers with perfect solutions, great finished products and excellent customer service, and strives to increase products' added value for its core competitiveness. We focus on developing high-quality products for top-end markets. Our products are mainly exported to over 30 countries such as USA, Germany, Japan, Spain, Italy, UK, Korea, Australia, Canada and etc. Our clients include many OEM customers who specialize in train, automobile, forklift and construction machinery, we already have had cooperation with more than 10 of the world's Top 500 companies as one of their major casting suppliers in China.

Our company has carried out an information-based management which is driven by an ERP system and we are making efforts to standardize our management system. We are both ISO9001 and TS16949 certified, and currently integrating some other advanced management modes in our system as well, such as 6S, performance management, lean production manufacturing etc. In addition, we have established the ISO14001 and ISO18001 environmental management system in order to gain a win-win situation for the enterprise's performance and social benefits from the long term perspective.

Our company has set its strategic objective which is "high standard, high precision, zero defect", by taking quality as life. Based on the working-style of "Honesty and Practicality, Persevering Unremittingly, Teamwork Spirit, Achieving Greatness", our company would like to sincerely invite the global prospective customers to pay a visit and have a good cooperation for a splendid future together.

02 //

Development path 发展历程

**2004**

2004 年建厂

设计产能 3000 吨 / 年

2 套中频

- Established in 2003
- Production Capacity: 3000 Tons/Year
- 2 sets of Medium Frequency Induction Furnace

2007

2007 年拓展厂房，

占地面积 40000 平方米

- In 2007, planned to expand workshop
- Workshop space: 40000 m²

2005

2005 年初，拓展产能，

4 套中频

设计产能 6000 吨 / 年

- At the beginning of 2005, planned to expand production capacity
- Production Capacity: 6000 Tons/Year
- 4 sets of Medium Frequency Induction Furnace

**2008**

2008 年拓展产能，

8 套中频

设计产能 13000 吨 / 年，

实际产能 12000 吨 / 年

- In 2008, planned to expand production capacity
- Production Capacity: 13000 Tons/Year
- Actual Production Capacity: 12000 Tons/Year
- 8 sets of Medium Frequency Induction Furnace

2012

2012 年收购买新厂房，拓展产能

12 套中频

总体设计产能 20000 吨 / 年，

实际产能 18000 吨 / 年。

- In 2012, buy a new workshop, expand production capacity
- Total Production Capacity: 20000 Tons/Year
- Actual Production Capacity: 18000 Tons/Year
- 12 sets of Medium Frequency Induction Furnace

2014

2014 年，开发新工艺：覆膜砂

设计产能 1500 吨 / 年

- In 2014, developed new process: Pre-coated Sand
- Production Capacity: 1500 Tons/Year

2015

2015 年 11 月，转型做新工艺 -- 硅溶胶

设计产能 2000 吨 / 年

- In November 2015, began to do new process -- Silical sol process
- Production Capacity: 2000 Tons/Year



XINKE Culture 新科文化

企业理念: 诚信、创新、服务!

企业精神: 效率成就品牌，诚信铸就未来。

企业文化: 以质量求生存，以创新求发展，以信誉求顾客，以和谐求市场。

诚信是我们的行为准则，

创新是我们的灵魂，

我们将不断推出满足客户要求的产品，

信手以一流的产品质量、

一流的技术性能为客户提供全方位服务的宗旨。

我们将最大限度地满足客户的要求。

并以非凡的设计、精湛的制造技术与用户共创辉煌的明天。

Philosophy : Intreity , Innovation , Service!

Entrepreneurship :

The quality of survival, innovation and development , reputation and customers to seek a harmonious market.

Enterprise purpose :

To invite high-quality suppliers, Hirotsugu honest dealers mutual benefit and common profit !

Honesty is our code of conduct ,

Innovation is our soul ,

We will continue to introduce products to meet customer requirements,

Committed to first- class product quality ,

First-class technical performance to provide full - service purposes.

We will satisfy customer requirements.

And to the extraordinary desgin , sophisticated manufacturing technology and the user create a brilliant tomorrow.

03 //

Honour 荣誉资质

奉化新科在前进中不断壮大，
多年的风雨赢得了众多荣誉，
这是对拓兴人的肯定。
辛勤的汗水换来了丰硕的果实，
奉化新科人将再接再厉，攀登新的高峰……



Qualification

Xinke company is becoming stronger and stronger during grow up, and has won many honours in 12 years of development. They are proud of tuoxing company. Diligent sweat is in return for fruitful results. Xinkle company will work harder and climb new peak.



“做事如做人，品牌如人品。” —— 应国义

Manufacturing Equipments

制造设施



高压喷砂机
High-pressure sandblasting machine



蒸汽脱蜡机
Steam dewaxing machine



抛丸机
Shot blasting machine



淋砂机
Spray sand machine



覆膜砂膜壳注塑机
Coated sand shell mold machine



制壳设备
Shell making equipment



天然气模壳焙烧炉
Shell baking oven



蜡处理组合
Wax processing equipment



触摸屏模头射蜡机
Touch screen die wax machine



触摸屏免缸射蜡机
Touch screen cylinder wax machine



膜壳干燥
Dry membrane shell

Testing Equipments

检测设施



直读光谱分析仪
Direct-reading Spectroanalysis Instrument
A 用途: 化学成分分析
usage: inspecting and analyzing chemical composition.
B 炉前 / 炉后炉检测, 随炉试块 / 试棒保存至少两年, 有效保证了溯源能力。
Inspecting chemical composition before and after pouring. Testing bar keeps at least 2 years which means that we can trace over two years about the casting parts.



布氏硬度测试仪
Brunel Hardness Tester
本测试, 每热处理炉做测试、
铸件表面打磨 1–2mm 测试。
Noumenal testing Grinding 1–2mm
on the surface and testing each
heat treatment stove.



液压万能试验机
Hydraulic UniVersal Tensile Strength Testing Machine
A 用途: 检测拉力、屈服, 延伸和收缩。
usage: inspecting Tensile, Yield, Elongation and Reduction.
B 拉力范围: 0–600 千牛
range: 0–600KN.



金相显微镜分析仪
Micro Structure Analysis Instrument
A 检测铸件显微结构和结晶程度。
Testing microstructure and crystallization of casting parts.



磁粉探伤机
Magnetic Testing Instrument
标准: 美标 ASTM-E709
America Standard: ASTM-E709
用图: 检测表面缺陷
usage: Surface flaw testing



超声波探伤仪
Ultrasonic Testing Instrument
A 标准: 铸钢件标准 GB7233-87
Steelcasting: GB7233-87
B 用图: 检测内部缺陷
usage: Inner flaw testing



冲击试验机
Impact Testing Machine
A 常温和低温测试 (最低零下 60℃)。
usage: normal temperature and low temperature.
(Below zero 60degree temperature)
B 测试范围: 0–300 焦耳
range: 0–300J

Investment Casting Process

水玻璃失蜡精密铸造

新科铸造业致力于为客户提供最好质量的精密铸造件
Xinke Precision Casting Parts are designed to best quality.
Detailed info as follows.

■ 工艺: 水玻璃失蜡精密铸造工艺
Process: Lost Wax Casting/Investment Casting/
Soluble Glass Precision Casting

■ 铸造公差: 国际 CT9 级
Tolerance: ISO/GB CT9

■ 铸造范围: 壁厚 ≥ 8mm 长度 < 1000mm 重量: 0.5KG~100KG
Capacity: Wall thickness ≥ 8mm Length < 1000mm
Weight: 0.5KG~100KG

■ 铸造材质: 普碳钢、低合金钢
Material: Carbon Steel, Low Alloy Steel

■ 铸造标准 Standard: ISO, DIN, GB, AAR, BS

■ 质量体系 Certificate: ISO9001: 2008, TS16949:2009

■ 样品周期 Sampling lead time: 30 至 60 天 / 30–60days

■ 交货期 Delivery: 30 至 90 天 / 30–90days



Electric power accessories

电力配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Construction machinery accessories

工程机械配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Train accessories

火车配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Truck accessories

卡车配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Agricultural accessories

农用配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

03 // Honour 荣誉资质
Equipments 设备
Inverstment Casting Process 水玻璃失蜡精密铸造
Investment Casting Products 水玻璃铸造产品
Silica Sol Casting Process 硅溶胶铸造工艺
Silica Sol Casting Products 硅溶胶铸造产品

精密铸造行业专家
CASTING INDUSTRY EXPERTS
让质量成为产品的灵魂
PRODUCT QUALITY IS THE SOUL

奉化新科出品的产品几乎覆盖了精密铸造行业的所有领域，
是全球最理想的合作伙伴。

FENGHUA XINKE EXTENSION-PRODUCED PRODUCTS COVERING ALMOST ALL
THE PRECISION CASTING INDUSTRY FIELD,
IS THE WORLD'S BEST PARTNERS.

www.xinke-casting.com



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:6kgs
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Automobile accessories

汽车配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

03 // Honour 荣誉资质
Equipments 设备
Inverstment Casting Process 水玻璃失蜡精密铸造
Investment Casting Products 水玻璃铸造产品
Silica Sol Casting Process 硅溶胶铸造工艺
Silica Sol Casting Products 硅溶胶铸造产品



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

精密铸造行业专家
CASTING INDUSTRY EXPERTS
让质量成为产品的灵魂
PRODUCT QUALITY IS THE SOUL



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Automobile accessories

汽车配件



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS



Tolerance:ISO CT-9
Length Capacity:8mm-1000mm
Material:Carbon Steel,Alloy Steel
Weight:0.5-100kg
Available Standard:ISO,DIN,GB,AAR,BS

Silica Sol Casting Process 硅溶胶精密铸造复合工艺

新科铸造致力于为客户提供最好质量的精密铸造件
Xinke Precision Casting Parts are designed to best quality.
Detailed info as follows.

■ 工艺: 硅溶胶精密铸造复合工艺
Process: Silica Sol Casting

铸造公差: 国际 CT3~CT7 级
■ Tolerance: ISO/GB CT3~CT7

铸造范围: 壁厚 ≥ 2mm 长度 < 500mm 重量: 0.005KG~30KG
■ Capacity: Wall thickness ≥ 2mm Length < 500mm
Weight: 0.005KG~30KG

铸造材质: 不锈钢、碳钢、合金钢
■ Material: Stainless Steel, Carbon Steel, Alloy Steel

铸造标准 Standard: ISO, DIN, GB, AAR, BS

质量体系 Certificate: ISO9001: 2008, TS16949:2009

样品周期 Sampling lead time: 30 至 60 天 / 30~60days

交货期 Delivery: 30 至 90 天 / 30~90days



Automobile accessories 汽车配件



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS



Tolerance: ISO CT-3~CT7
Length Capacity: 2mm~500mm
Material: Stainless Steel, Carbon Steel, Alloy Steel
Weight: 0.005~30kg
Available Standard: ISO, DIN, GB, AAR, BS

**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel, Carbon Steel, Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS

**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS**Tolerance:**ISO CT-3~CT7**Length Capacity:**2mm-500mm**Material:**Stainless Steel,Carbon Steel,Alloy Steel**Weight:**0.005-30kg**Available Standard:**ISO,DIN,GB,AAR,BS